


General information



- Land type Greenfield is located in the north-western townships Voinyliv.
- Land plot area 4,58 ha.
- The distance to the village 0,3 km.
- Distance to the nearest house 1,0 km.
- Name of the nearest district center,
 distance Kalush, 14.0 km
- Name of the nearest regional center,
 distance Ivano Frankivsk, 40,0 km.
- geographic coordinates: 49°06'18.5"N24°28'29.5"E

- Land trapezoid shape, flat terrain
- A mark above sea level 311,0m
- The difference between the highest and lowest marks the site - 10,0m.
- Neighboring areas land of private farms.
- At a distance of 2,5 km river runs
 Sivka





Legal status

- Form of ownership State
- The Department of State geological inventory in Ivano-Frankivsk region
- Cadastral number-2622855300:02:001:0149
- Designated purpose of the land plot 01. agricultural land
- Master plan availability village no
- Legal restrictions no
- Land used for agricultural commodity production
- Form of transfer of land long lease
- Approximate cost of land for rent 2,5 UAH/sq.m

Transport and engineering infrastructure


• 6 m width ground road is available

At a distance of 11 km road - H 10

At a distance of 2 km road – T0910


 Distance to freight station "Kalush"-20km.

 The distance to the international airport "Ivano-Frankivsk - 52 km




Information about gas supply

- Distance to the existing gas pipeline- 0.4 km
- Pipeline diameter 219 mm
- •Gas pressure in the pipeline 3,8 gf/cm2
- Capacity margin of the possible connection to the pipeline - 5000,0 m3/h
- Distance to the existing gas distribution station - 0,95 km




 Capacity margin of the gas distribution station - 30000,0 m3/h




Transmission network

- Distance to the existing power transmission line 0,1 km
- Power transmission line voltage 10 kV.
- Capacity margin of the possible connection to the power transmission line 600 κW.
- Distance to the existing transformer substation – 1,0 km
- Transformer substation voltage 10/0,4 kV
- Capacity margin of the transformer substation— - 60,78 kW




Transmission network



Information about water supply and about sewage discharge

- In the land of water supply and sanitation – no
- Provide land in water supply can be built the infrastructure





Contacts

ishment,	Kalush District
ization	Administration
	Shevchenko street, 6
	Kalush
	Ivano-Frankivsk region.
	77300
	Ukraine
surname of contact	Nataliia Yosypivna Babii
Phone	(03472) 6-03-01
Fax	(03472) 6-00-23
E-mail	kalushinvest@gmail.com
Website	www.rda.if.ua

